

City of Byrnes Mill

RESIDENTIAL BUILDING LOT EROSION PREVENTION AND SEDIMENT CONTROL CHECKLIST

Check that you have read and understand the following items:

- Silt fence or other sediment barriers shall be installed properly down gradient of the area to be disturbed prior to any grading, clearing, and/or any other construction activity unless said area is in a location where there is no chance of sediment leaving the site (large amount of acreage, etc.).
- Excavated topsoil which is to be reused must be stockpiled and encircled with silt fencing if it is located where runoff to a street or adjoining may occur.
- Where applicable, inlet protection for nearby storm sewer curb and drop inlets will be installed.
- Buffers or other protection must be provided along streams, rivers, and ponds to avoid erosion of banks.
- Stabilization measures must be performed within seven (7) days in portions of the site where construction activities have temporarily or permanently ceased, and within fourteen (14) days of final grading.
- Sediment must be removed from sediment barriers (silt fence, straw bales, etc.), ponds, and other sediment controls when design capacity has been reduced by 33%.
- Sediment that has escaped the construction site and has collected in the street or drainage structures must immediately be physically removed.
- Building and waste materials, and non-storm water discharges, such as concrete, paint wash water, or machinery leakage or spillage must be managed to prevent them from entering the storm water system, ground water, or nearby water body.
- Erosion prevention and sediment controls must be inspected before a rain event, weekly, and 24-hours after .50" rain event.
- Properties backing up to a common retention area (pond or basin) must have silt fence or other barrier devices in place to prevent sediment from running off the property into the retention area during construction.

I certify under penalty of law, that I have reviewed this document and understand the Erosion Prevention and Sediment Control requirements herein. I agree to implement and follow the provisions of this checklist while building any structure that is permitted by City of Byrnes Mill Building and Codes. I understand that these requirements may be inspected by and enforced by the City of Byrnes Mill. Failure to comply may result in the issuance of a STOP WORK ORDER and/or other penalties to include fines "up to \$500 daily", issuance of arrest warrants, etc., until compliance is accomplished. The undersigned will be responsible for complying with this checklist, and any other provision of the City of Byrnes Mill Section 8 code.

Print Name	Signature	Date

Additional information may be found at www.jeffcomo.org

